



## 6 Seater Lithium Battery Off Road Golf Cart Electric 28km/H

Our Product Introduction

for more products please visit us on [electriccleaningvehicle.com](http://electriccleaningvehicle.com)

### Basic Information

- Place of Origin: China
- Brand Name: Bochi
- Model Number: SKGF6-A
- Minimum Order Quantity: 3 sets
- Price: Further negotiation based on product configuration and requirements
- Packaging Details: Iron frame + steel structure box packaging
- Delivery Time: 15-30days
- Payment Terms: D/P, T/T
- Supply Ability: 3000 sets/month



### Product Specification

- Highlight: Lithium Battery off road golf cart electric,  
6 Seater off road golf cart electric,  
28km/h electric off road cart



### More Images



## Product Description

### Golf Cart Golf Off-Road Cart 6-Seater Off-Road Golf Cart SKGF6-A

Body: steel frame and plastic covering the body, injection molding of automobile-specific PP material, full injection molding of exterior parts of the vehicle, modular structural design, and can be replaced by structural components to save maintenance costs.

Front windshield: overall laminated glass, high strength, lightweight, transparent, wear-resistant and not easily cracked.

Canopy: made of plastic, injection molded from automotive engineering materials, light weight, not easy to fade

Seat: New ergonomic three-dimensional anti-leather and waterproof soft leather chair

Floor: anti-slip, silent, easy to clean, corrosion-resistant, high-strength and wear-resistant floor glue

Instrument panel: Special PP material injection molding instrument panel, LCD display instrument, electric meter, headlight switch, turn signal switch, electric lock switch, front and rear gear switch. Reversing image.

Lighting: Integrated LED daytime running lights + turn signals, front and rear lights, 12V electric horn. Energy-saving and easy to disassemble and assemble?

Motor: Three-phase AC asynchronous motor, excellent traction performance, high efficiency and energy saving, continuously variable speed, fully sealed, good heat dissipation effect, high output efficiency, strong overload/climbing ability

Battery: High-capacity deep-cycle lead-acid battery, battery pack voltage and capacity: 48V150A gel maintenance-free battery

Electronic control system: Internationally renowned brand electronic control system, AC intelligent controller, strong climbing ability, anti-slip on slopes, and speed limiter on downhill slopes.

Charging device: Fully automatic computer intelligent car charger, full charging time is about 6-8 hours, with automatic power-off protection function after full charging, charging input voltage 220V, protection level IP67

Suspension system: front suspension integrated front axle, rear suspension non-independent suspension, leaf spring + cylinder hydraulic shock absorption

Braking system: rear wheel mechanical drum brake, mechanical foot parking

Tire type: Aluminum alloy wheels, special golf cart tires, good wear resistance and comfort, beautiful appearance design of aluminum rims.

Electric gas system	electronic control	Ac 48V5KW		
	battery	48V (8V150AH maintenance-free)		
	electrical machinery	Ac 48VKW		
	battery charger	48V25A		
	charging time	8-10 hours		
Body system	ceiling	New PP injection parts		
	carframe	Q235 high-strength steel structural parts		
	Dachhaltegriff	New PP injection parts		
	steering wheel	Polyurethane metal paint steering wheel		
	instrumentpanel	Multi-media instrument		
	Seat	Split foam seat + backrest		
	car body	Steel frame + new PP injection molded parts		
	instrumentation console	New PP injection molding instrument table, forward and backward switch		
	Lights and signals	Combined front and rear lights, electric horn and reverse buzzer		
chassis system	power transmission system	Stepless speed control system		
	steering system	Single ball head single output/double ball head double output rack and pinion steering gear		
	Front axle and suspension	Integrated front axle, leaf spring + cylinder shock absorption/McPherson independent suspension		
	Rear axle and suspension	Integral rear axle, leaf spring suspension + cylinder type hydraulic shock absorption		
	braking system	Front disc and rear drum hydraulic brake, parking brake device		
	tyre	23*10-14 vacuum tire + aluminum ring		
	Rated occupant	6 person	unloaded wt	650kg
	Length * width * height	3600×1390×2060	Vehicle load	550kg

technical specification	driving range	≥80KM	Front and rear wheel bases	960/998mm
	maximum speed	≥28km/h	wheel base	2450mm
	minimum turning radius	≤4.5m	minimum ground clearance	120mm
	maximum gradeability	15%	braking length	≤4.0m



**Wuxi Bochi Smart Run Technology Co., LTD.,**



13812501806



lydia.sun@jinchy.cn



electriccleaningvehicle.com

15 Youyi Middle Road, Xishan District, Wuxi City, Jiangsu Province, China