



2 Passengers High Pressure New Energy Electric Sanitation Vehicle

Basic Information

- Place of Origin: China
- Brand Name: Bochi
- Model Number: SKCX5150-A
- Minimum Order Quantity: 3 sets
- Price: Further negotiation based on product configuration and requirements
- Packaging Details: Iron frame + steel structure box packaging
- Delivery Time: 15-30days
- Payment Terms: D/P, T/T
- Supply Ability: 3000 sets/month



Product Specification

- Highlight: 2 Passengers Electric Sanitation Vehicle , High Pressure Electric Sanitation Vehicle , New Energy electric sanitation car



More Images



Product Description

Electric high pressure washing car sanitation car cleaning car New energy electric washing car SKCX5150-A

Performance profile and product advantages:

The whole vehicle is made of sightseeing car front, yacht fiberglass material, a molding, smooth lines, strong corrosion resistance, novel and beautiful. Improve the city image, improve the city taste.

The vehicle control system adopts original imported controller and potentiometer induction accelerator. It has safety functions such as anti-electromagnetic interference, anti-speed, start delay and reverse deceleration.

The compartment is made of sheet metal material, and the back door is made of aluminum alloy rolling shutter door, which is beautiful and easy to wear.

tire using radial vacuum tire, wear resistance, long service life; "With directional booster" steering is lighter.

Chassis structure Mini car chassis technology, front and rear hydraulic braking, with good stability and safety.

The original imported washing machine is adopted, which has the important characteristics of small flow and large pressure. For "psoriasis" in the city, the removal of small advertisements and the cleaning of road boards and guardrails has a good efficiency and effect.

The vehicle is compact and flexible with strong maneuverability. Compared with large vehicles, it can effectively reduce the pressure brought by traffic jams to the city.

At present, the vehicle has been widely used in the washing, cleaning and cleaning operations of urban management, environmental sanitation, municipal and garden units in cities, counties and towns all over the country.

Model		SKCX5150-A
Dimensions (mm) Length × width × height		3650×1400×1790
Number of passengers (persons)		2
Service weight (kg)		980
Tank volume (L)		800
Maximum speed (Km/h)		≤30
Driving range (Km)		≥80
wheel track	Front wheel base (mm)	1135
	Rear wheel base (mm)	1140
Minimum ground clearance (mm)		140
Maximum climb %		15
Minimum braking distance (m) (v=20km/h)		≤4
Motor Power (W)		48V/5000W
storage battery		8只/200AHLarge capacity storage maintenance free
High pressure washing machine technical parameters		
engine		Jialing Honda
model		PE-2565HWCOM
Type of internal combustion engine		HONDA 13HP GX390
High pressure pump type		AR/ three-plunger ceramic pump
Maximum working pressure bar		80-280
Maximum flow rate /h		15
Weight /kg		50
Note: The direction steering system adopts electric booster system EPS		



Wuxi Bochi Smart Run Technology Co., LTD.,



13812501806



lydia.sun@jinchy.cn



electriccleaningvehicle.com

15 Youyi Middle Road, Xishan District, Wuxi City, Jiangsu Province, China

