

# 30km/H Patrol Vehicle 4 Passengers Electric Patrol

#### **Basic Information**

Place of Origin: China Brand Name: Bochi

Model Number: SKXL5240-A

• Minimum Order Quantity: 3 sets

• Price: Further communication based on product

configuration and parameters

• Packaging Details: Steel frame + color steel packaging

Delivery Time: 15-30 daysPayment Terms: D/P, T/T

• Supply Ability: 3000 sets/months



### **Product Specification**

Rated Number Of 4
 Passengers (people):

• Overall Dimensions (mm) 3200\*1500\*1800mm

(length × Width × Height):

Maximum Load: 930kg
Max Speed: 30km/h
Mileage: 80km
Motor Power: 48V/4.2 KW
Battery Capacity: 48V/200AH

Highlight: 30km/H Patrol Vehicle,
 Patrol Vehicle 4 Passengers,

4.2 KW electric patrol car



#### More Images





#### **Product Description**

Patrol vehicle supplier SKXL5240-A

#### **Performance Overview:**

The whole vehicle adopts sightseeing car front, yacht fiberglass material, smooth lines, novel and beautiful. front and rear hydraulic brake, better effect, more stable.

The steering direction system adopts electronic power EPS, which is flexible and labor-saving.

Chassis structure adopts minicar chassis technology, with good stability and safety.

equipped with high-power speakers and loudspeakers, the use of mature and reliable technology and high-quality accessories, excellent performance, safe, reliable, flexible and convenient, greatly improve the efficiency of law enforcement. Using potentiometer induction accelerator, the vehicle control system has the safety functions of anti-electromagnetic interference, anti-overspeed, start delay and reverse deceleration.

Related configuration

front block tempered double laminated glass + windshield wiper; Top cover double glazed glass steel; Rust-proof body structure:

with McPherson independent suspension brake system and four-wheel vehicle form of hydraulic brake system and independent parking brake; Non-slip floor;

equipped with voltmeter, ammeter, turn indicator light, direction switch, danger alarm switch and combination switch; with rearview mirror, alarm light, headlight, front and rear turn signal, combined rear tail light, electric horn and reverse puzzer:

Fully equipped with electronic control digital FM radio, support U disk SD/MMC card. Colors can be painted on request

	alastronia santral	Colf anargy controller
Electric System	electronic control	Self-energy controller
	battery	48V200AH maintenance-free dry battery
	electrical machinery	4.2KW brushless drive motor
	charging time	6-8/J\ 6-8 hours
	battery charger	Computer intelligent control
Body configuration	seat	Adjustable seat with integral sponge
		wrapped in leather
	car body	Steel frame + fiberglass shell of yacht
	instrumentation console	Features multi-function instrument,
		polyurethane steering wheel, forward and
		backward switch
	Car frame	Mini car chassis optimization, high
		strength steel structural parts
	rearview mirror	One manual rear view mirror on each side
	acquetica	LED alarm light, speaker, multi-function
	acoustics	radio recorder
	Lights and signals	Headlights, front and rear turn signals,
		combined rear taillights, electric horn and
		reverse buzzer
	drive system	Stepless speed control system
Bottom plate	steering system	Double ball head double output rack and
		pinion steering gear
	Front axle and	Independent suspension, coil spring +
	suspension	cylinder type hydraulic shock absorption
	Suspension	Integral rear axle with main reduction and
	Rear axle and suspension	differential, leaf spring suspension +
		cylinder hydraulic shock absorption
		Front and rear drum double circuit
	brake system	hydraulic brake, parking brake device
		225/55/12 vacuum tire
	tyre Rated occupant	
		4 person
	Dimensions Length * width * height	3200×1500×1800mm
technical specification	unloaded wt	930kg
	Vehicle load	800kg
	Front and rear wheel bases	1150/1140mm
	wheel base	2000mm
	minimum ground	
	clearance	140mm
	Initial speed 20km/h braking distance	≤4.0m
	Charge input voltage	220v/
	maximum travelling speed	≥30km/h
	Driving range	≥80Km

Maximum gradient (full load)	≥20%
minimum turning radius	≤4.0m

## BOCHI Wuxi Bochi Smart Run Technology Co., LTD.,

**(3812501806** 



lydia.sun@jinchy.cn electriccleaningvehicle.com

15 Youyi Middle Road, Xishan District, Wuxi City, Jiangsu Province, China