



## SKXL5250-A1 Security Patrol Golf Cart Mini Car Chassis Technology High Power Speakers

Our Product Introduction

### Basic Information

- Place of Origin: China
- Brand Name: Bochi
- Model Number: SKXL5250-A1
- Minimum Order Quantity: 3 sets
- Price: Further communication based on product configuration and parameters
- Packaging Details: Steel frame + color steel packaging
- Delivery Time: 15-30 days
- Payment Terms: D/P,T/T
- Supply Ability: 3000 sets/months



### Product Specification

- Rated Number Of Passengers (people): 6-8
- Product Model: SKXL5250-A
- Full Load Weight (kg): 600kg
- Dimensions (mm) (L x W x H): 3980\*1500\*2100
- Wheelbase (mm): 2900
- Motor Power: 48V/5.5KW
- Highlight: **SKXL5250-A1 Security Patrol Golf Cart, Power Speakers Security Patrol Golf Cart, Mini Chassis Security Patrol Golf Cart**

for more products please visit us on [electriccleaningvehicle.com](http://electriccleaningvehicle.com)

## Product Description

### Performance Overview

The chassis utilizes minicar technology for enhanced stability and safety. Equipped with high-power audio systems and reliable components, it ensures efficient law enforcement operations. Features include a potentiometer-controlled accelerator with safety protocols (anti-interference, speed control, delayed start, reverse deceleration) and McPherson independent suspension with four-wheel hydraulic brakes + independent parking brake.

Includes comprehensive instrumentation (voltmeter, ammeter, indicator lights) and full lighting systems (headlights, turn signals, alarms). Entertainment features digital FM radio with USB/SD support. Electronic power steering ensures maneuverability, while radial vacuum tires offer durability. Custom color options available.



product model	SKXL5250-A
Rated passenger	6-8
Load (kg)	800
Full load weight (kg)	600
Dimensions (mm) (L × W × H)	3980*1500*2100
Wheelbase (mm)	2900
Wheel base (front/rear) mm	1215/1230
Electronic H1DN	48v/400A
Motor rated power (kw/v)	48V/5.5KW
Battery Capacity (Ah)	48V200AH
battery charger	48V30A
Time per charge (h)	8-10 hours (Discharge rate is 80%)
mileage	60-80
Braking distance (v=20km/h)	≤5m
Maximum speed (km/h)	30
Minimum turning radius (m)	5
Minimum ground clearance (mm)	170
maximum gradeability	30%
Parking capability	20%

seat	Integral foam leather, polyurethane foam seat armrests
tyre	185/70R13
instrumentation console	Integrated molding instrument table, digital combination instrument, steering wheel, combination switch, direction switch, danger alarm switch
rearview mirror	Left and right exterior mirrors
Lights and signals	12V lighting system, headlights, front and rear turn signals, combined rear taillights (night lights + brake lights), electric horn and reverse buzzer
acoustics	Radio, support U disk SD/MMC card, speaker (2)
Other configuration	Equipped with alarms, lights, trunk, loudspeaker



**Wuxi Bochi Smart Run Technology Co., LTD.,**



13812501806



lydia.sun@jinchy.cn



electriccleaningvehicle.com

15 Youyi Middle Road, Xishan District, Wuxi City, Jiangsu Province, China